

According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit De	co Beads			
First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	Version: V16/2021

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required) and was issued following the structure by Annex II.

1. Identification of the substance / the preparation / the product and identification of the company

1.1 Identification of the substance / the preparation / the product

Trade name:

SiLiglit Deco Beads

1.2 Application of the substance / the preparation / the product

To be used as: Unsubscribed use: Decoration article unknown

1.3 Company identification

Manufacturer / Supplier:

Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu E-Mail: reach@sili.eu

Information provided by: Mr

Mr. Michael Dressler (Head of Quality) Mr. Reinhold Schneider (Quality Manager)

1.4 Emergency Call

Emergency information:

Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):Monday - Thursday:7.00 AM - 4.30 PMFriday.7.00 AM - 1.00 PM

2. Possible dangers

2.1 Classification of the substance or mixture

Not classified according to Regulation (EG) No. 1272/2008 (CLP).

2.2 Labelling elements

Not subject to labelling according to Regulation (EG) No. 1272/2008 (CLP).

2.3 Additional danger advice

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts has occurred.

EU Safety Data Sheet According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Deco Beads

First created on: 2016-08-03 Next inspection on: 2021-12-31

2021-08-18 Updated on: Printed on: 2021-08-18

The German quality spinit of quality since 1854



SIGMUND LINDNER

3. Composition / detailed information on the ingredients

3.1 Substance

Not relevant.

3.2 **Mixtures**

Description:	Beads	Beads made of Soda-lime-glass, surface coloured				
Colouring options:	WS L LS	Surface coloured (not resistant) Silver based + surface coloured (not resistant) Surface coloured (solvent resistant coating) Silver based + surface coloured (solvent resistant coating) Aluminium based + surface coloured (solvent resistant coating)				

3.3 **Ingredients**

Weight Soda-lime-gl	ass >	· 98 %									
Substance Name		Classification		Wei	ght	(CAS N⁰	EC N°		REACH Reg.N°	
Silicon dioxide SiO ₂		no hazardous substar	nce 72.5 %		76	631-86-9 231-545-		4	01-2	119379499-16	
Sodium oxide Na ₂ O	Sodium oxide Na ₂ O WaterReact.2;H261 Skin Corr.1B;H314			13.0	%	1:	313-59-3	215-208-	.9	01-2	120759517-43
Calcium oxide CaO				9.6	%	1:	305-78-8	215-138-	.9	01-2	120767286-44
Magnesium oxide Mg		no hazardous substar	nce	4.22			309-48-4	215-171-			egistration
Aluminium trioxide Al	203	no hazardous substar	nce	0.58	%	13	344-28-1	215-691-	6	01-2	119529248-35
Weight Colour < 2 %	, D										
Substance Name	Clas	sification	C	AS N⁰	EC N°		REACH R	Reg.N°	CI	N°	FDA/CFR
Base coating											
Aluminium	WaterReact.2;H261 Flam.Sol.1;H228		7429-90-5		231-072-3		01-2119529243-45		770	000	FDA Ref# 21 CFR 73.2645
Silver	no hazardous substance		7440-22-4		231-131-3 01-211955		55669-21 778		320	FDA Ref# 21 CFR 73.2500	
Surface colouring											
Pigment Yellow 83	no h	no hazardous substance		7-15-7	226-93	89-8	01-211947	75484-30	211	108	FDA Ref# 21 CFR 73.2775
Pigment Blue 15	no h	azardous substance	14	7-14-8	205-68	35-1	01-211945	58771-32	741	160	not known
Pigment Black 7 (nano)	no h	azardous substance	133	3-86-4	215-60	9-9	01-211938	34822-32	772 (na		not known
Pigment Violet 23	no h	azardous substance	635	8-30-1	228-76	67-9	no registra	ation	513	319	FDA Ref# 21 CFR 74.2340
Pigment Red 208	no h	azardous substance	3177	8-10-6	250-80	0-0	01-211996	58932-23	125	514	FDA Ref# 21 CFR 73.2575
Pigment Red 144	no h	azardous substance	528	0-68-2	226-10)3-2	01-211995	59306-31	124	185	FDA Ref# 21 CFR 73.2250
Pigment White 6	no h	azardous substance	1346	3-67-7	236-67	'5-5	01-211948	39379-17	778	391	FDA Ref# 21 CFR 74.2705
Pigment Orange 34	no h	azardous substance	1579	3-73-4	239-89	8-6	01-211997	70554-31	211		not known
Pigment Brown 25	no h	azardous substance	699	2-11-6	230-25	58-1	01-211996	68929-10	125	510	not known
Pigment Green 7	no h	azardous substance		8-53-6	215-52	24-7	01-211945	59333-39	742	260	not known
Solvent yellow 83:1	no h	azardous substance	6111	6-27-6	none		no registra	ation	nor	ne	FDA Ref# 21 CFR 74.2052

Data file: MSDS en SiLiglit Deco Beads.doc



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Deco Beads	SiLig	lit Deco	Beads
---------------------	-------	----------	-------

First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	Version: V16/2021

4. First-aid measures

4.1 <u>Description of first aid measures</u>

4.1.1 General Advice

Remove soiled clothes. In case of health complaints, seek medical treatment. Watch your helpers for self-protection.

4.1.2 After Inhalation of dust

Provide fresh air.

4.1.3 After Skin Contact

Clean skin with water and soap.

4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lens. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

4.1.5 After Swallowing

Consult a physician after swallowing large quantities.

4.2 <u>Main acute and delayed symptoms and effects</u> No information available.

4.3 Information on immediate medical help or special treatment Dusty parts of the product may irritate skin, mucous membranes, eyes and respiratory tract. Decontamination and symptomatic treatments are in most cases sufficient.

5. Fire fighting actions

5.1 Extinguishing agents

- **5.1.1 Suitable extinguishing agents:** The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.
- 5.1.2 For safety reason unsuitable extinguishing agents Unknown.
- 5.2 <u>Special hazards arising from the substance or mixture</u> No information available.
- **5.3** Instructions for fire fighting Protective equipment has to be coordinated with the surrounding fire.

6. Measures by accidental release

6.1 <u>Personal precautions, protective equipment and emergency procedures</u> Avoid formation of dust, do not inhale dust.



According to Attachment II EC Reg. 1907/2006 (REACH)

Si	Lia	lit [Deco	Bead	S

First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	

Version: V16/2021

6.2 <u>Environmental measures</u>

No special actions necessary.

- **6.3** <u>Methods and materials for retention and cleaning</u> Sweep up the product and pick it up. Avoid dust formation during cleaning.
- **6.4** Reference to other sections Personal protective equipment according to section 8.2, disposal according to section 13.

7. Handling and storage

- 7.1 **Protective measures for safe handling**
- 7.1.1 Notes on safe storage Increased risk of slipping due to spilled product. Avoid dust formation.
- **7.1.2 Information on fire and explosion protection** No data available, the product itself is not flammable and not explosive.
- 7.2. Conditions for safe storage under consideration of incompatibilities
- **7.2.1** Requirements for storage in rooms and containers No special storage necessary. Storage in tightly closed (original) container.
- **7.2.1 Information on storage in one common storage facility:** Storage class according to TRGS 510: LGK 13 (non-flammable solids) No incompatible products to mention.
- 7.3 <u>Specific end uses</u> See section 1.2.

8. Exposure limits and personal protection

8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	CAS-Number	EINECS	Value	Type of limit
General dust limit				Limit at work (AGW) according to the TRGS 900 Regulation
Aluminium	7429-90-5	231-072-3		Limit at work (BGW) according to the TRGS 903 Regulation
Silica, amorphous (Silicon dioxide)	7631-86-9	231-545-4	4 mg/m³ E	Limit at work (AGW) according to the TRGS 900 Regulation



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT De	co Beads	5		
First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	Version: V16/2021

8.2 Exposure controls and monitoring

8.2.1 Technical protection measures

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

8.2.2 Personal protection equipment

8.2.2.1 Respiratory protection



Use respiratory protection in case of dust exposure, e.g. dust mask with particle filter FFP2 or FFP3, according to standard NF EN 149.

Inhalation limitation of the zirconium compound of the Al2O3:

- 5 mg/m3 of Zr for 8 hours (TWA) according to ACGIH, DFG-MAK and OSHA
- 10 mg/m3 of Zr for 15 min (STEL) according to ACGIH and OSHA

Inhalation restriction from amorphous silica:

- 4 mg/m3 according to DFG-MAK
- 6 mg/m3 according to OSHA
- 10 mg/m3 for 8 hours (TWA) according to ACGIH

min. 0.4 mm

Under normal conditions of use, the load during processing of the product is lower than 1 mSv/year (1760 H/year) (limit values for persons prescribed by EURATOM Directive 96/29).

8.2.2.2 Hand protection

Protective gloves are generally not required. In case of constant skin contact, gloves are sufficient for low mechanical and material stress, see also BGR 195, e.g.:

Material: Butyl rubber Material thickness Penetration time: min. 30 min. acc. to DIN EN 374

8.2.2.3 Eye protection



Mechanical processing with dust exposure requires safety goggles closed at the side in accordance with DIN 58211 or DIN EN 166.

8.2.2.3 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient.

8.2.2.4 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

8.2.3 Limitation and monitoring of environmental exposure

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

8.2.4 Limitation and monitoring of the exposure for private end users

No special protective measures necessary as the product is not available for private end users.

8.2.5 Limitation and monitoring of environmental exposure

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

According to Attachment II EC Reg. 1907/2006 (REACH)

the German quality spirit of quality since 1854 SIGMUND LINDNER

SiLiglit Deco Beads

First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	Version: V16/2021

9. Physical and chemical properties

9.1 General details

Physical condition: Shape: Odour: Colour: Solid round (beads) Odourless Various (refer to table regarding colour proportions, Chapter 3.3)

9.2 Important details regarding health / environmental protection as well as safety

150 °C

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

Non-applicable

pH value: Heat resistance (colouring): Softening point (temperature): Flash point: Self-ignition point (Solid/Gas): Blaze properties: Risk of explosion: Vapour pressure:

Specific weight: Bulk density: Water solubility: Partition coefficient n-Octanol/ water:	2.50 kg/dm ³ 1.50 kg/dm ³ Insoluble in water Non-applicable
Viscosity:	Non-applicable
Vapour density:	Non-applicable
Evaporation speed:	Non-applicable

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

10. Stability and reactivity

10.1 <u>Reactivity</u>

Not reactive under the stated conditions of use and storage.

- **10.2** Possibility of dangerous reactions If handled and stored properly, no dangerous reactions are known.
- **10.3** <u>Conditions to avoid</u> Protect from temperatures > 450 °C.
- **10.4** <u>Incompatible materials</u> Strong alkalis (e.g. NaOH), hydrofluoric acid (HF).
- 10.5 <u>Hazardous decomposition products</u> Unknown



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Deco Beads

First created on:	2016-08-03	
Next inspection on:	2021-12-31	

Updated on: 2021-08-18 Printed on: 2021-08-18

Version: V16/2021

11. Toxicological data

11.1 Information on toxicological effects

11.1.1 Toxicokinetics, metabolism and distribution No data available.

11.1.2 Acute toxicity

No data available.

11.1.3 Etching and irritant effects

Product dust can mechanically irritate skin and mucous membrane, eyes and respiratory organs.

11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

- **11.1.5 Specific organ toxicity at single or repeated exposure** No organtoxic effects known.
- **11.1.6 Carcinogenicity, mutagenicity and reproductive toxicity** No carcinogenic, mutagenic or toxic to reproduction effects known.

12. Environmental details

- **12.1 Toxicity** No data available.
- **12.2 Persistence and degradability** The product is insoluble and the inorganic substances it contains are not bioavailable.

12.3 Bioaccumulation potential

The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bioaccumulative.

12.4 Mobility in the ground

The product is insoluble and therefore not mobile.

12.5 Results of PBT and vPvB assessment

The product does not contain PBT or vPvB substances according to REACH Annex XIII criteria.

12.6 Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.



According to Attachment II EC Reg. 1907/2006 (REACH)

Siligiit Deco Beads				
First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	Version: V16/2021

13. Notes on disposal

13.1 Waste treatment process

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

13.1.1 Product

Product residues should be reused wherever possible.

13.1.2 Uncleaned packaging

Recommendation: Non-contaminated packaging can be reused. Cleaning agent Water.

14.	Information on Transport	
14.1	<u>UN-Number</u>	not relevant
14.2	Proper UN shipping name	not relevant
14.3	Transport hazard classes	not relevant
14.4	Packaging group	not relevant
14.5	Environmental hazards	see section 14
14.6	Special precautions for the user	see section 7
14.7	Transport in bulk in accordance with Annex II	

to the MARPOL Convention and the IBC Code not relevant

Note: No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG.

15. Legal provisions

15.1 <u>Safety, health and environmental protection/legislation specific to the substance or mixture</u>

15.1.1 EU-regulations

Classification and labelling:

None according to Directive (EC) No. 1272/2008 (CLP) or other known EU regulations.



According to Attachment II EC Reg. 1907/2006 (REACH)

Silight Deco Beads				
First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	Version: V16/202

15.1.2 National regulations

Classification and labelling:	None according to the Hazardous Substances Ordinance (GefStoffV) or according to other known national regulations
Employment restrictions:	None according to GefStoffV, JArbSchG or MuSchV
Major Accidents Ordinance:	The product is not subject to the Major Accidents Ordinance.
Water hazard class:	No WGK, not hazardous to water according to AwSV.

15.2 <u>Chemical safety assessment</u>

A chemical safety assessment of the product or its components is not available.

16. Additional information

16.1 <u>Summary of the H-Statements (section 3.2)</u>

Rating of independent substances

- H228 Flammable solid.
- H261 In contact with water releases flammable gases.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

16.2 Recommended Limitations of Use

Deco Beads are not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

16.3 **Further information**

Company details:		dner GmbH nsteinacher Str. 38 nensteinach / GERMANY +49-9277-9940 +49-9277-99499 www.sili.eu
Technical contacts: information	Mr. Erwin Pschierer (Product Manager Glitter) Mrs. Manuela Pilz (Product Manager Glitter)	

EU Safety Data Sheet According to Attachment II EC Reg. 1907/2006 (REACH)



Silight Deco Beads				
First created on:	2016-08-03	Updated on:	2021-08-18	
Next inspection on:	2021-12-31	Printed on:	2021-08-18	Version: V16/2021

16.4 **Used abbreviations**

Alveolar Dust
Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Occupational exposure limit according to TRGS 900
Biological limit value according to TRGS 903
Chemical Abstracts Service (division of the American Chemical Society)
Colour Index Number
Classification, Labelling and Packaging of Substances and Mixtures
Inhalable Dust
EINECS Number (European Inventory of Existing Commercial Chemical Substances)
Code of Federal Regulations - Title 21 - Food and Drugs
Globally Harmonized System of Classification and Labelling of Chemicals
International Air Transport Association
International Civil Aviation Organization
International Maritime Code for Dangerous Goods
Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals.
Règlement international concernant le transport des marchandises
dangereuses par chemin de fer (Regulations Concerning the International
Transport of Dangerous Goods by Rail)
Technical Rules for Hazardous Substances
Water hazard class

16.5 **Remarks**

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

Date of the current version:	2021-08-18
Reason for the current version:	yearly Revision, without any change
Replaced issue:	MSDS en SiLiglit Deco Beads, V14/2019